



RENEWAL OF CONSENT & AUTHORISATION ORDER  
BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

Consent Order No: 02/TSPCB/BMWM/CBMWTF/2016-2779

Date: 16.01.2017

Consent Order for Existing / New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, authorization / Renewal of authorization under Rule 5 (4) of the Hazardous Wastes (Management, Handling and Transboundary, Movement) Rules, 2008 and Authorization under Rule 10 of the Bio Medical Wastes Management Rules, 2016.

DESPATCHED  
ON: 19.1.17

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 Authorisation under the provisions of HW (Management and Transboundary Movement) Rules and Authorisation under the provisions of BMW Management Rules, (hereinafter referred to as 'the Acts', the Rules') and the rules and orders made thereunder to

M/s Sattva Global Services Pvt Ltd.,  
Plot No. 36/B, Biotech Park, Phase - III,  
Karakapatla Village, Mulugu (M),  
Medak District.

(Hereinafter referred to as 'the Applicant') authorizing to operate the Common Bio-Medical Waste Treatment Facility to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

I. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge (KLD)	Point of Disposal
1.	Process and Washing	8.0	After treatment the facility proposed to use onland for gardening within the premisis.
3.	Domestic	0.5	Septic tank followed by soak pit.
Total		8.5 KLD	

II. Emissions from chimneys:

Chimney No.	Description of Chimney
1.	Common Stack attached to 200 kg/ Hr. HSD fired incinerator
2.	DG set of capacity 50 KVA.

III. HAZARDOUS WASTE AUTHORIZATION  
(FORM - II) [SEE RULE - 6 (2)]

Authorisation and date of issue- 02/TSPCB/BMWM/CBMWTF/2016- Dt.16.01.2017.

M/s Sattva Global Services Pvt Ltd., Plot No. 36/B, Biotech Park, Phase - III, Karakapatla Village, Mulugu (M), Medak District, is hereby granted an Authorisation to operate a facility for collection reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

S. No	Name of the Hazardous Waste	Stream	Quantity of Hazardous Waste	Disposal Option
1	Incineration ash	36.2 of Schedule - I	240 Kg/Day	TSDF Dundigal, RR Dist.
2	ETP Sludge	34.3 of Schedule - I	0.6 kg / Day	

IV. Bio-Medical Waste Authorisation (Form - III) [See Rule 10]

(Authorisation for operating a facility for collection, reception, treatment, storage transport and disposal of biomedical waste as prescribed in the Bio-Medical Waste Management Rules, 2016).

M/s Sattva Global Services Pvt Ltd, is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of biomedical waste in the premises situated at Plot No. 36/B, Biotech Park, Phase - III, Karakapatla Village, Mulugu (M), Medak District.

This order is valid to collect, transport, treat and safe disposal of Bio-medical Waste generated from the Health Care Establishments (HCEs) located in erstwhile Hyderabad and Rangareddy districts along with other three facilities i.e., M/s. G.J. Multiclave (India) Pvt. Ltd., Mahaboobnagar district, M/s. ASE & Co., Medak District and M/s. Medicare Environmental Management Pvt., Ltd. (Formerly M/s. Semb Ramky Environmental Management Pvt. Ltd.), Medak District.

M/s Sattva Global Services Pvt Ltd, Medak District should follow the Bio-Medical Waste Management Rules, 2016 and the guidelines for Common Bio-medical Waste Treatment Facility, issued by Central Pollution Control Board.

This order is subject to the provisions of 'the Acts' and the Rules' and orders made there under and further subject to the terms and conditions incorporated in the schedule A, B, C & D enclosed to this order.

This combined order of Consents, Hazardous Waste & Bio- medical waste Authorisation shall be valid for a period ending with the 31st Day of October, 2021.

The orders are issued without any prejudice to the case in W.P. No. 19727 of 2016 & 19821 of 2016 pending before the Hon'ble High Court.


Sd/-  
MEMBER SECRETARY

To  
M/s Sattva Global Services Pvt Ltd.,  
Plot No. 36/B, Biotech Park, Phase - III,  
Karakapatla Village, Mulugu (M),  
Medak District.

Copy to:

1. The JCEE, Zonal Office, RC Puram for information and necessary action.
2. The EE, Regional Office, RC Puram for information and necessary action.
3. The SEE (CESS), TSPCB, Board Office for information and necessary action.

///T.C.F.B.O ///

  
Senior Environmental Engineer  
(Unit Head - III)